

## LIST OF TABLES

<b><u>Table No.</u></b>	<b><u>Page No.</u></b>
Table ES-1:	Proposed 345-kV Transmission Lines, By ROW (Miles) in Connecticut Towns..... ES-6
Table ES-2:	CL&P Transmission Line Route Selection Objectives..... ES-25
Table ES-3:	Route Evaluation Criteria for Overhead Transmission Line Siting..... ES-26
Table ES-4:	Route Evaluation Criteria for Underground Transmission Cable System Siting..... ES-27
Table ES-5:	No ROW Expansion Option: Summary of Potential Environmental Effects, by ROW Segment ..... ES-34
Table ES-6:	Minimal ROW Expansion Option: Summary of Potential Environmental Effects, by ROW Segment ..... ES-35
Table ES-7:	Summary Comparison of Mansfield Hollow Configuration Options (Federal Properties, Combined Segments 1 and 2) ..... ES-37
Table ES-8:	Potential Permits, Reviews, and Approvals Required for the Project ..... ES-40
Table 1-1:	Interstate Reliability Project: Summary of 345-kV Components..... 1-3
Table 1-2:	Proposed 345-kV Transmission Line ROW Segments: Miles, Width, Cross-Sections, and Configuration (By Town and Volumes 9 and 11 Aerial Alignment Mapsheet Reference)..... 1-9
Table 2-1:	2010 90/10 CELT Load ..... 2-26
Table 2-2:	Generation Resources Located along Card Street Substation to West Medway Substation Corridor ..... 2-29
Table 3-1:	Existing Transmission Lines Sharing ROWs with the Proposed 345-kV Transmission Lines ..... 3-2
Table 3-2:	Summary of Existing and Proposed 345-kV Transmission Line Configurations ..... 3-19
Table 4-1:	Potential Material Storage or Staging Sites on CL&P Fee-Owned Properties ..... 4-5
Table 4-2:	Summary of CL&P ROW Widths, Existing Managed ROW Widths, and Proposed Vegetation Clearing Widths for New 345-kV Transmission Lines ..... 4-13
Table 4-3:	Potential Public Road Access to ROW ..... 4-20
Table 5-1:	Soils and Soil Characteristics along the Proposed Route ..... 5-113
Table 5-2:	Prime Farmland Soils and Farmland Soils of Statewide Importance within the existing CL&P ROWs along the Proposed Route, by Town ..... 5-9
Table 5-3:	Summary of Connecticut Water Use Goals ..... 5-12
Table 5-4:	Watercourses along the Proposed Route ..... 5-121
Table 5-5:	Delineated Wetlands, Vernal Pools, and Wetlands Supporting Amphibian Habitat: Proposed 345-kV ROWs ..... 5-127
Table 5-6:	List of Connecticut Aquifer Protection Areas in Towns along the Proposed Route ..... 5-20
Table 5-7:	List of Watercourses and Waterbodies with FEMA 100-Year Floodplains along the Proposed Route ..... 5-24
Table 5-8:	State-Listed Species in the Vicinity of the Proposed Route ..... 5-42
Table 5-9:	Focal State-listed Lepidoptera ..... 5-45
Table 5-10:	Results of Lepidoptera Surveys: Occurrence of State-listed Butterflies and Moths along the Project ROWs..... 5-48
Table 5-11:	State-Listed Bird Species Potentially Occurring in the Vicinity of the Proposed Route (As Identified by CT NDDB Records)..... 5-49
Table 5-12:	Approximate Distance Traversed by Proposed Route, by Town and through CL&P-owned Property ..... 5-57
Table 5-13:	Approximate Distance Each Land Use Type is Traversed by Proposed Route, by Town..... 5-58

Table 5-14:	Public Forest, Parks, Open Space, Land-Trust Parcels, and Trails along and in the vicinity of the Proposed Route .....	5-74
Table 5-15:	Summary of Potential Scenic Areas Traversed by or in the Vicinity of the Proposed Route with Views of the Existing CL&P Transmission Lines.....	5-147
Table 5-16:	Summary of Local Land-Use Plans.....	5-81
Table 5-17:	Road Crossings – Proposed Route .....	5-84
Table 5-18:	Ambient Air Quality Concentrations.....	5-94
Table 5-19:	Typical Noise Levels Associated with Different Indoor and Outdoor Activities .....	5-98
Table 5-20:	State of Connecticut Noise-Control Regulations by Emitter and Receptor Land-Use Classification.....	5-99
Table 5-21:	Soil Types: Card Street Substation.....	5-101
Table 5-22:	Soil Types: Lake Road Switching Station .....	5-104
Table 5-23:	Soil Types: Killingly Substation .....	5-108
Table 6-1:	List of Watercourses with Proposed Permanent Access Roads Crossings .....	6-15
Table 6-2:	Estimated Surface Area of Waters of the United States Potentially Affected by the Proposed Transmission Lines (Temporary and Permanent Effects) and Total Secondary Effects of Forested Wetland Conversion to Scrub-Shrub or Emergent Wetland Types .....	6-21
Table 6-3:	Summary of Wetland Effects along Proposed Route .....	6-83
Table 6-4:	Permanent Transmission Line Structures Proposed for Location with FEMA 100-Year Floodplains .....	6-28
Table 6-5:	Summary of Potential Effects to Vernal Pool and Amphibian Breeding Habitats.....	6-95
Table 6-6:	Summary of State-Listed Threatened, Endangered, or Special Concern Species in Vicinity of Proposed Route.....	6-46
Table 6-7:	Summary of Land Uses, by Town, within the CL&P’s Proposed Route within the Existing CL&P ROWs.....	6-58
Table 6-8:	Approximate Acres of Forested Land to be Converted to Shrub-Scrub Land, by Town .....	6-59
Table 6-9:	Noise Ranges of Typical Construction Equipment .....	6-73
Table 7-1:	Summary of Magnetic Fields Measured in a Connecticut Town (Bethel).....	7-6
Table 7-2:	Generation Dispatches and Transfers (in MW) Assumed for Load-Flow Models.....	7-15
Table 7-3:	Measured Electric and Magnetic Fields for Card Street Substation to Babcock Hill Junction – XS-1 in the Vicinity of Residences .....	7-17
Table 7-4:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) – Card Street Substation to Babcock Hill Junction – XS-1 .....	7-19
Table 7-5:	Measured Electric and Magnetic Fields for Babcock Hill Junction to Vicinity of Highland Road – XS-2 BMP in the Vicinity of the Focus Area .....	7-19
Table 7-6:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Babcock Hill Junction to Vicinity of Highland Road (XS-2 BMP).....	7-20
Table 7-7:	Measured Electric and Magnetic Fields for Babcock Hill Junction to Mansfield Hollow State Park – XS-2 in the Vicinity of the Focus Area.....	7-21
Table 7-8:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Vicinity of Highland Road to Mansfield Hollow Reservoir (XS-2).....	7-22
Table 7-9:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Mansfield Hollow State Park (XS-3) .	7-24
Table 7-10:	Summary of Pre Interstate (2015) and Post NEEWS (2020) EMF levels at the Edge of the ROW at Annual Average Loading (AAL) - Bassetts Bridge Road to Shuba Lane (XS-4).....	7-26

Table 7-11:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Vicinity of Shuba Lane through Mansfield Hollow WMA to Vicinity of Willimantic Road (XS-5).....	7-27
Table 7-12:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Willimantic Road to Vicinity of Day Street Junction (XS-6) .....	7-29
Table 7-13:	Measured Electric and Magnetic Fields in the Vicinity of Day Street Junction – XS-6 BMP Near Residential Day-Care .....	7-30
Table 7-14:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Vicinity of Day Street Junction (XS-6 BMP) .....	7-31
Table 7-15:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Day Street Junction to Hartford Turnpike (XS-7).....	7-33
Table 7-16:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Hartford Turnpike to Lake Road Junction (XS-8).....	7-35
Table 7-17:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Lake Road Junction to Lake Road Switching Station (XS-9).....	7-36
Table 7-18:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Lake Road Junction to Killingly Substation (XS-10).....	7-38
Table 7-19:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Killingly Substation to Heritage Road (XS-11).....	7-40
Table 7-20:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) - Heritage Road to Connecticut/Rhode Island Border, Excluding Elvira Heights (XS-12) .....	7-42
Table 7-21:	Measured Electric and Magnetic Fields for Elvira Heights – XS-12 BMP in the Vicinity of Residences .....	7-43
Table 7-22:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at Annual Average Loading (AAL) – Elvira Heights (XS-12 BMP).....	7-44
Table 7-23:	Estimated Project Cost Increases for BMP Design Implementation .....	7-46
Table 9-1:	Potential, Permits, Reviews, and Approvals Required for the Project .....	9-3
Table 9-2:	List of Federal and State Agency Consultations to Date .....	9-4
Table 10-1:	Summary of Existing Characteristics: 1.4 Miles of 150-Foot-Wide ROW along Segments 1 and 2 .....	10-8
Table 10-2:	Comparison of Structure Types and Heights: Existing 330 Line to No ROW Expansion Option.....	10-14
Table 10-3:	Summary of Existing Environmental Features: No ROW Expansion Option (Segments 1 and 2: 150-foot-wide ROW) .....	10-18
Table 10-4:	No ROW Expansion Option: Summary of Potential Environmental Effects, by ROW Segment .....	10-20
Table 10-5:	Summary of Electric and Magnetic Field Levels at ROW Edges for Existing, Proposed, and the No ROW Expansion Options.....	10-24
Table 10-6:	Comparison of Proposed Project Configuration and No ROW Expansion Option.....	10-26
Table 10-7:	Cost Comparison of Proposed Project Configuration and No ROW Expansion Option.....	10-27
Table 10-8:	Comparison of Structure Types and Heights: Existing 330 Line and Minimal ROW Expansion Option.....	10-28

Table 10-9:	Summary of Existing Environmental Features: Minimal ROW Expansion Option (Segment 1 [175-foot-wide ROW] and Segment 2 [185-foot-wide ROW]).....	10-31
Table 10-10:	Minimal ROW Expansion Option: Summary of Potential Environmental Effects, by ROW Segment .....	10-32
Table 10-12:	Comparison of Proposed Project Configuration and Minimal ROW Expansion Option.....	10-37
Table 10-13:	Cost Comparison of Proposed Project Configuration and Minimal ROW Expansion Option.....	10-37
Table 10-14:	Summary Comparison of Mansfield Hollow Configuration Options: Total (Segments 1 and 2).....	10-39
Table 13 1:	System Benefit Comparison of Interstate Reliability Project Options .....	13-24
Table 13 2:	Summary of Cost Estimates of Interstate Reliability Project Options (\$ million) .....	13-25
Table 13 3:	Summary of Primary Elements: A-series Options and Option C-2.1 .....	13-28
Table 13 4:	Comparison of Option A Series (A-1 through A-4) and Option C-2.1: New 345-kV Transmission Line and Related Substation and Switching Station Facilities: Connecticut, Rhode Island, and Massachusetts.....	13-30
Table 13 5:	Summary of Reliability Criteria Violations for Generation NTA.....	13-39
Table 13 6:	Summary of Reliability Criteria Violations for Reference DR Combination NTA ....	13-42
Table 13 7:	Summary of Reliability Criteria Violations for Aggressive DR Combination NTA ..	13-42
Table 13 8:	Active DR Required to Provide an NTA in the Combination Case assuming Aggressive Passive DR Case .....	13-45
Table 14-1:	CL&P Transmission Line Route Selection Objectives.....	14-2
Table 14-2:	Route Evaluation Criteria for Overhead Transmission Line Siting.....	14-7
Table 14-3:	Route Evaluation Criteria for Underground Transmission Cable System Siting.....	14-24
Table 14-4:	Summary of ROWs along Combined Highway and Transmission Line ROW Alternative Route .....	14-49
Table 14-5:	Summary of Key Features: Combined Highway and Transmission Line ROW Underground Alternative .....	14-52
Table 14-6:	Summary of Key Features: Combined Highway and Transmission Line ROW Underground Alternative with and without U.S. Route 44 Underground Variation ...	14-59
Table 15-1:	Summary of Variations.....	15-4
Table 15-2:	Soils and Soil Characteristics along the Mansfield Underground Variation .....	15-21
Table 15-3:	Delineated Wetlands / Vernal Pools and Wetlands Supporting Amphibian Habitat: Mansfield Underground Variation .....	15-23
Table 15-4:	Summary of Primary Effects and Potential Mitigation for the Mansfield Underground Variation .....	15-30
Table 15-5:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Mansfield Underground Variation .....	15-33
Table 15-6:	Comparison of Magnetic Field Levels at AAL for Overhead Lines and the Mansfield Underground Variation.....	15-34
Table 15-7:	Comparison of Electric Field Levels for Overhead Lines and the Mansfield Underground Variation at AAL.....	15-35
Table 15-8:	Comparison of the Mansfield Underground Variation to the Proposed Overhead Delta Transmission Line Configuration.....	15-36
Table 15-9:	Soils and Soil Characteristics along the Mount Hope Underground Variation .....	15-45
Table 15-10:	Delineated Wetlands along the Mount Hope Underground Variation .....	15-46
Table 15-11:	Summary of Primary Effects and Potential Mitigation for the Mount Hope Underground Variation .....	15-54
Table 15-12:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Mount Hope Underground Variation .....	15-57

Table 15-13:	Comparison of Magnetic Field Levels at AAL for the Proposed Overhead H-Frame Line Configuration and the Mount Hope Underground Variation .....	15-58
Table 15-14:	Magnetic Field Levels at Statutory Facilities Near the Mount Hope Underground Variation Route .....	15-59
Table 15-15:	Comparison of Electric Field Levels for Overhead H-Frame Line and the Mt. Hope Underground Variation.....	15-60
Table 15-16:	Comparison of the Mount Hope Underground Variation to the Proposed Project Overhead H-Frame Line Segment.....	15-61
Table 15-17:	Comparison of Brooklyn Variations to Segments of the Proposed Project Each Would Replace .....	15-67
Table 15-18:	Soils and Soil Characteristics along the Brooklyn Overhead Variation .....	15-72
Table 15-19:	Wetlands along the Brooklyn Overhead Variation .....	15-73
Table 15-20:	Summary of Primary Effects and Potential Mitigation for the Brooklyn Overhead Variation .....	15-78
Table 15-21:	Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Brooklyn Overhead Variation .....	15-80
Table 15-22:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the Existing ROW at AAL for Existing ROW Segments With and Without Completion of the Brooklyn Overhead Variation (BOV).....	15-81
Table 15-23:	Comparison of the Brooklyn Overhead Variation to the Proposed Overhead Line to be Replaced .....	15-83
Table 15-24:	Soils and Soil Characteristics along the Brooklyn Underground Variation .....	15-89
Table 15-25:	Delineated Wetlands / Vernal Pools and Wetland Supporting Amphibian Habitat: Brooklyn Underground Variation .....	15-91
Table 15-26:	Summary of Primary Effects and Potential Mitigation for the Brooklyn Underground Variation .....	15-96
Table 15-27:	Summary of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Brooklyn Underground Variation .....	15-100
Table 15-28:	Comparison of Magnetic Field Levels at AAL for Overhead Lines and Underground Variation .....	15-102
Table 15-29:	Comparison of Electric Field Levels for Overhead Lines and the Brooklyn Underground Variation .....	15-102
Table 15-30:	Magnetic Field Levels at Statutory Facilities Near the Brooklyn Underground Variation Route .....	15-103
Table 15-31:	Comparison of the Brooklyn Underground Variation to the Proposed Project Segment (Overhead Line) Replaced.....	15-107
Table 15-32:	Comparison of Willimantic South Variations to the Portions of the Proposed Route that Each Would Replace .....	15-111
Table 15-33:	Towns Traversed along the Willimantic South Overhead Variation vs. the Proposed Route .....	15-116
Table 15-34:	Soils and Soil Characteristics along the Willimantic South Overhead Variation .....	15-120
Table 15-35:	Watercourses Traversed by the Willimantic South Overhead Variation.....	15-122
Table 15-36:	Wetlands along the Willimantic South Overhead Variation.....	15-124
Table 15-37:	Road Crossings along the Willimantic South Overhead Variation .....	15-129
Table 15-38:	Summary of Primary Effects and Potential Mitigation for the Willimantic South Overhead Variation .....	15-132
Table 15-39:	Summary of Pre-Interstate(2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Willimantic South Overhead Variation: Card Street Substation to Existing Structure 7814 at Card Street – XS WS-OH-1 .....	15-135

Table 15-40:	Summary of Pre-Interstate(2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Willimantic South Overhead Variation: Existing Structure 7814 at Card Street to Structure 7809 at Route 289 – XS WS-OH-2 .....	15-136
Table 15-41:	Summary of Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for the Willimantic South Overhead Variation: Route 289 in Lebanon to Chewink Road in Chaplin – XS WS-OH-3 .....	15-137
Table 15-42:	Comparison of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edges of the Existing CL&P Transmission ROW at AAL, With and Without Use of the Willimantic South Overhead Variation (WSOV) .....	15-138
Table 15-43:	Comparison of the Willimantic South Overhead Variation to the Proposed Transmission Line Segment (Overhead Line) on Existing CL&P ROW to be Replaced .....	15-143
Table 15-44:	Towns Traversed along the Willimantic South Underground Variation vs. the Proposed Route Within Existing CL&P ROW .....	15-144
Table 15-45:	Soils and Soil Characteristics along the Willimantic South Underground Variation	15-149
Table 15-46:	Watercourses along the Willimantic South Underground Variation.....	15-152
Table 15-47:	Wetlands: Willimantic South Underground Variation .....	15-154
Table 15-48:	Roads and Major Utility Crossings along the Willimantic South Underground Variation .....	15-160
Table 15-49:	Summary of Primary Effects and Potential Mitigation for the Willimantic South Underground Variation.....	15-163
Table 15-50:	Summary of Post-Project (2020) EMF Levels at $\pm 25$ Feet from the ROW Centerline at AAL for the Willimantic South Underground Variation Route from Card Street Substation to Existing Structure 9101 – XS-UG-1.....	15-167
Table 15-51:	Summary of Post-Project (2020) EMF Levels at the Edge of the ROW at AAL for the Willimantic South Underground Variation Route between Existing Structures 9101 and 9106 – XS-UG-2 .....	15-168
Table 15-52:	Comparison of Electric Field Levels at the Edge of the Existing 345-kV ROW With the Proposed Overhead Transmission Line and the Underground Variation Within the CL&P ROW.....	15-169
Table 15-53:	Comparison of Pre-Interstate (2015) and Post-NEEWS (2020) EMF Levels at the Edge of the ROW at AAL for Existing ROW, With and Without Use of the Willimantic South Underground Variation (WSUV).....	15-170
Table 15-54:	Measured Electric and Magnetic Fields for the Willimantic South Underground Variation in the Vicinity of Child Day-Care Facilities, Playgrounds, and Schools: Cross Section XS-UG1 (Road ROWs).....	15-171
Table 15-55:	Comparison of the Willimantic South Underground Variation to the Proposed Project Segment (Overhead Line) to be Replaced .....	15-175
Table 17-1:	Cross-Reference between the Council’s 2010 <i>Application Guide</i> and CL&P’s Application .....	17-1